(Stack SDS 04)

AISIBLE FIMISSION NOTATIONS					
Inspector: Alex Box	tister				
Date of Inspection:	. 1 2015				
Shift: 1st Shift or 2nd Shift	t Time:	5:00AM			
Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>			omments	
Visible Emission From Shaker	Non	life s	3tean		
Visible Emission From Discharge	Alma	_			

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the defree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Revised 5/1/2015

D.1.12 SDS I Daily Visible Emission Notations rer Luci,

(Stack SDS 04)

١	1	15	IF	1	F	F	V	1	۱۲	ς	10	N	NO	ra7	rio.	NS

Inspector:]		
M. PHILL	-1/25				
Date of Inspection:	all'				
12-1-15	5		-		
Shift: 1st Shift or 2nd Shift	t Time:	all storages.			
		5 PM			
Unit	Visual	programme and the second secon	en en en en blinder en	omments	
	Inspection	The second se			
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<u>NORMAL</u>	The part of the second	and the state of t		
	or	20 AND 10			
	ABNORMAL		transaction of the con-		The second secon
Visible Emission From Shaker		Consultati bushkera sanakaraka sebahan kecaman sana sana sana	New Control of the Co		
Visible Emission From Shaker	NORMAL	and the second s			
Visible Emission From Discharge					
Conveyor System	NORMAL	-underline place de la company de la comp			

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the defree to which emissions reduce the transmission of light and obscure the view of an object in the background.

VISIBLE EMISSION NOTATIONS

Inspector:	Ba stista				
Date of Inspection:	- (App.)				
Shift: 1st Shift or 2nd Shift	t Time:	SAM			
	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>			Lomments	
Visible Emission From Shaker	NOR	Stem	<u> </u>		
Visible Emission From Discharge Conveyor System	NOR				

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the defree to which emissions reduce the transmission of light and obscure the view of an object in the background.

VISIBLE EMISSION NOTATIONS

Inspector:					
M. PHILL	-185				
Date of Inspection:					
12-2-,	15				
Shift: (1st Shift) or 2nd Shift	t Time:				
		5 pm			
Unit was a second of the secon	Visual	e de la companya de La companya de la co	Comments	(大)。 (1)	and a manager was record
	Inspection	and the second second and the second			6.51 (1994) 1994 (1994)
in the second se	NORMAL				
The Charge in the next hope of the contract of the	or	Marin Committee	The state of the s	and the first and the second section in the second	ere same sample.
	I was to the second of the second		The state of the s		
	<u>ABNORMAL</u>				
Visible Emission From Shaker					
	NORMAL	Securitaria de constitución de la constitución de l	·		
Visible Emission From Discharge					
Conveyor System	NORMAL	Angelegenisheldstatester.			

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the defree to which emissions reduce the transmission of light and obscure the view of an object in the background.

VISIBLE EMISSION NOTATIONS			_	
Inspector: Alex B	autista			
Date of Inspection: (2/3/19	<u> </u>			
Shift: 1st Shift or 2nd Shift	t Time:	5 A M		
Unit.	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>			
	Nor	ste.	an .	
Visible Emission From Discharge	•			

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the defree to which emissions reduce the transmission of light and obscure the view of an object in the background.

Conveyor System

NOR

AISIBLE EMISSION NOTATIONS						
Inspector: Paul Lorle						
Date of Inspection:						
Shift: (1st Shift) or 2nd Shift	t Time:	5:00 pm				
Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>			Commer		
Visible Emission From Shaker	VOL			,		
Visible Emission From Discharge	Abore	onddlae b	Draw VI	in mot	hath	

- Visible inspection must be performed during daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- Opacity is a measure of the defree to which emissions reduce the transmission of light and obscure the view of an object in the background.